



2023 Products Line Up

THE FUTURE OF SOUND TUNING



## CONTENTS

|                       |    |
|-----------------------|----|
| Alpine Status.....    | 3  |
| Display Audio.....    | 5  |
| Head Unit.....        | 7  |
| Add In Head Unit..... | 8  |
| Sound Processor.....  | 9  |
| BMW-Series.....       | 11 |
| S2-Series.....        | 12 |
| New Entry.....        | 13 |
| Speaker.....          | 15 |
| Amplifier.....        | 17 |
| Subwoofer.....        | 18 |







# *Alpine Status*





# Alpine Status



## HDS-990 Hi-Res AUDIO

Hi-Res Audio Playback (192kHz / 24Bit)  
 Inputs: 2-Ch AUX-In, 4-Ch Hi-Level  
 USB Audio, Bluetooth\* (LDAC)  
 Outputs: 4-Ch Hi-Level, 6-Ch RCA, Optical, Coaxial  
 4V Pre-Outs: 3 •  
 Built-in Amplifier: 25W x 4 •  
 USB Inputs: 3  
 Audio Playback: AAC, AIFF, ALAC, APE, DSD,  
 FLAC, LDAC, MP3, M4A, WMA, WAV

**MRP-147199**



## HDZ-65 Hi-Res AUDIO

Woofer size : 6.5 inch  
 Frequency Response : 55Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-54299**



## HDZ-110

Woofer size : 11 inch  
 Rate Power: 400W RMS (200W for each VC)  
 Mounting Deps: 7.75 inch

**MRP-77999**



## HDP-D90 Hi-Res AUDIO

Inputs: 12 Ch Hi-Level/ 2 Ch RCA/ Optical/  
 Coaxial / Bluetooth  
 Outputs: 12 Ch Hi-Level/10 Ch RCA  
 50W RMS X 6 + 80W RMS X 4  
 Sampling Rate : 192KHz /24Bit  
 31-Band Parametric or Graphic EQ  
 HPF /LPF / Bandpass Crossover per channel  
 PC Tuning Application  
 Matrix input summing

**MRP-266999**



\*HDZ-653

## HDZ-653S Hi-Res AUDIO

Woofer size : 6.5 inch  
 Midrange size : 3.5 inch  
 Tweeter size : 1 inch  
 Frequency Response : 55Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-105666**

## HDZ-65CS Hi-Res AUDIO

Woofer size : 6.5 inch  
 Tweeter size : 1 inch  
 Frequency Response : 55Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-80799**



\*HDA-M80

## HDA-M80

Frequency Response : 8Hz-400Hz  
 Rate Power: 500W RMS x 1 @ 4Ω  
 S/N : >107 dB

**MRP-69999**

## HDA-V90 Hi-Res AUDIO

Hi-Res Audio Certified  
 Frequency Response : 10Hz-60KHz  
 Rate Power: 75W RMS x 4 + 300W RMS x 1 @ 4Ω  
 Bridged : 200W RMS x 2 @ 4Ω  
 S/N : >105 dB

**MRP-82999**

## HDA-F60 Hi-Res AUDIO

Hi-Res Audio Certified  
 Frequency Response : 10Hz-60KHz  
 Rate Power: 100W RMS x 4 @ 4Ω  
 Bridged : 300W RMS x 2 @ 4Ω  
 S/N : >106 dB

**MRP-69999**

## HDZ-653 Hi-Res AUDIO

Woofer size : 6.5 inch  
 Midrange size : 3.5 inch  
 Tweeter size : 1.25 inch  
 Frequency Response : 55Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-105666**

## HDZ-65C Hi-Res AUDIO

Woofer size : 6.5 inch  
 Tweeter size : 1.25 inch  
 Frequency Response : 55Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-80799**



\*HDZ-65CS

# The Biggest Screen Display Audio



## iLX-F511E

### Alpine Halo11 Digital Multimedia Receiver with 11-inch Floating HD Display and Hi-Res Audio Playback

All shared features listed above. Unique Alpine Halo Design - Tapered Display Housing and Silver Trim for a clean, Modern Fit & Finish. 11-inch Adjustable Floating Style Display (Adjustable Height, Depth and Viewing Angle). Standard 1-Din Chassis for Flexible Vehicle Application.

#### New GUI User-Friendly In-Car




#### Apple CarPlay Wireless



#### Lamination Display



#### Full Digital Power AMP



#### Expert Sound Tuning With Alpine Technology



EQ Setting  
13-Band Parametric EQ per channel



CrossOver



Time Correction





# DISPLAY AUDIO

## iLX-F511E Hi-Res AUDIO

11 Inch WXGA 1280 x 720px  
 Apple CarPlay (Wired & Wireless)  
 Android Auto (Wired)  
 Bluetooth Hands-free & music Streaming  
 Wireless Hi-Res Audio (Require LDAC compatible device)  
 Hi-Res Audio Playback (96KHz/24Bit)  
 HDMI In/Out  
 USP input (x2)  
 Camera input (x2)  
 13-Band Parametric EQ per channel  
 6-Channel Time Correction  
 Audio Playback: AAC,APE, FLAC, MP3, WAV, WMV  
 Video Playback:AVC, FLV, MP4, MKV, MOV

**MRP-95999**

## iLX-F509E Hi-Res AUDIO

9 Inch WXGA 1280 x 720px  
 Apple CarPlay (Wired & Wireless)  
 Android Auto (Wired)  
 Bluetooth Hands-free & music Streaming  
 Wireless Hi-Res Audio (Require LDAC compatible device)  
 Hi-Res Audio Playback (96KHz/24Bit)  
 HDMI In/Out  
 USB input (x2)  
 Camera input (x2)  
 13-Band Parametric EQ per channel  
 6-Channel Time Correction  
 Audio Playback: AAC,APE, FLAC, MP3, WAV, WMV  
 Video Playback:AVC, FLV, MP4, MKV, MOV

**MRP-90999**

## iLX-507E Hi-Res AUDIO

7 Inch WXGA 1280 x 720px  
 Apple CarPlay (Wired & Wireless)  
 Android Auto (Wired)  
 Bluetooth Hands-free & music Streaming  
 Wireless Hi-Res Audio (Require LDAC compatible device)  
 Hi-Res Audio Playback (96KHz/24Bit)  
 HDMI In/Out  
 USB input (x2)  
 Camera input (x2)  
 13-Band Parametric EQ per channel  
 6-Channel Time Correction  
 Audio Playback: AAC,APE, FLAC, MP3, WAV, WMV  
 Video Playback:AVC, FLV, MP4, MKV, MOV

**MRP-73999**



\*iLX-F509E



# HEAD UNIT

## iLX-W660E



- 6.95 Inch WVGA 1800 x 480px
- Apple CarPlay (Wired)
- Android Auto (Wired)
- Bluetooth Hands-free & music Streaming
- USB input (x1)
- Camera input (x2)
- 9-Band Parametric EQ
- 5-Channel Time Correction
- Audio Playback: AAC, FLAC, MP3, WAV, WMA
- Video Playback: AVI, MP4, MPG, MOV, WMV

### Simple swipe control.

You can control your music on the road by using a two-finger swipe to move up, down, left, or right that can control volume up or down and forward track or back.



## iLX-W670E

- 6.75 Inch WVGA 1800 x 480px
- Apple CarPlay (Wired)
- Android Auto (Wired)
- Bluetooth Hands-free & music Streaming
- AUX input (x1)
- USB input (x1)
- Camera input (x1)
- 13-Band EQ
- 4-Channel Time Correction
- Audio Playback: AAC, FLAC, MP3, WAV, WMA
- Video Playback: AVI, MP4, MPG, MOV, WMV
- Learning type Steering Wheel Control

### Coming Soon



7"



### Voice assistant with Siri and Google assistance.

Push the voice button on your Alpine unit or your steering wheel buttons (if supported) to activate Siri or the Google Assistant. You can simply ask to call people, ask for route directions, write and send messages, ask for weather forecasts, and much, much more.

### AUX-IN

For this new iLX-W660E 7-inch display has special function of AUX-IN to make you more enjoyable in your car life.



# ADD IN HEAD UNIT

## DSD

Direct Stream Digital



### Leverage The Music Listening With DSD File.

Perfect Sound Tuning With Time Correction, X-Over, 9-Band Parametric EQ.

### Ergonomic Designed For Control Panel.

For his new design, Bring you to the comfortable control and easy to install for a variety of car due to the ADD-IN concept.



## UTX-A09PRO

Hi-Res Audio Playback (192kHz / 24Bit)  
AM/FM radio receiver  
Bluetooth® Phone & Audio Streaming  
9-Band Parametric or Graphic EQ  
4V Pre-Out 3  
2-Way/3-Way Crossover

USB input(x2)  
Audio Playback: MP3/WMA/ AAC/FLAC/WAV/APE  
Inputs: 2-Ch RCA/ Bluetooth/ USB  
Outputs: 4 Ch Hi-Level/6 CH RCA / Optical /SPDIF

**Coming Soon**



## UTX-M08S



Hi-Res Audio Playback (96KHz/24 Bit)  
Bluetooth® Audio Streaming  
10-Band Parametric or Graphic EQ  
4V Pre-Out 3  
2-Way/3-Way Crossover  
USB input(x3)  
Audio Playback: MP3/WMA/ AAC/FLAC/WAV/APE/DSD  
Inputs: 4 Ch Hi-Level/ 2-Ch RCA/ Bluetooth/ USB  
Outputs: 4 Ch Hi-Level/6 CH RCA / Optical /SPDIF

**MRP-57249**



## UTX-M06



Hi-Res Audio Playback (96KHz/24 Bit)  
Bluetooth® Audio Streaming  
15-Band Parametric or Graphic EQ  
4V Pre-Out 3  
2-Way/3-Way Crossover  
USB input(x1)  
Audio Playback: MP3/WMA/FLAC/WAV/APE  
Inputs: 4 Ch Hi-Level/ 2-Ch RCA/ Bluetooth/ USB  
Outputs: 4 Ch Hi-Level/6 CH RCA

**MRP-44999**

# OPTIM™ 8



## ALL-IN-ONE SOLUTION

Sound Processor and Amplifier



Optim™ 8 Controller  
\*RUX-CSP1 (Included)



### Automatic Sound Tuning

Tune your entire sound system in under 5 minutes with the innovative auto-tuning capabilities of the Alpine OPTIM™ 8. Using the PC App and a mic kit (sold separately) or the OPTIM8 IOS App and built-in microphone on an iPhone® 10 or newer, measure, correct, and tune your system to your desired listening preference through fast and easy guided tuning instructions.

### Automatic Sound Tuning With iPhone App Control



## PXE-C80-88

### Alpine Optim™ 8-channel Hi-Res Sound Processor / Amplifier with Automatic Sound Tuning

Hi-Res Audio Playback (96kHz/24Bit). Intuitive Realtime Sound Set-Up with 5 Minute Vehicle Self Tuning. Manual & Automatic Sound Tuning with PC App Control. Automatic Sound Tuning with iPhone App. Anti-EQ for OEM System (Eliminates Factory EQ Curve). Auto-EQ with APVD Collection which Quickly Creates a Flat Vehicle Response. 31 Band Parametric & Graphic EQ. Outputs: 8-Channel 4V RCA. Digital Inputs: Coax, USB (DAC). Speaker Input: Up to 30V. Built-In Amplifier: 50W x 6 @4Ω + 150W x 2 @4Ω or 50W x 6 @2Ω + 300W x 2 @2Ω.

MRP-119999

### Manual Sound Tuning With PC or iPhone App Control





# SOUND PROCESSOR



Product of  
DSP Sound System

## PXE-X120-10DP

Inputs: 12 Ch Hi-Level/ 2-Ch RCA  
Bluetooth/ Optical/ Coaxial  
Outputs: 10 Ch Hi-Level/2 Ch RCA  
25W RMS X4 + 50W RMS X4 + 100W RMS X2  
Sampling Rate : 48KHz /24Bit  
31-Band Parametric or Graphic EQ  
HPF /LPF / Bandpass Crossover per channel  
PC / Smartphone Tuning Application  
Matrix input summing



**MRP-109999**



Product of  
DSP Sound System

## PXE-X800

Inputs: 8 Ch Hi-Level/ 4-Ch RCA  
Bluetooth/ Optical / Coaxial  
Outputs: 8 Ch Hi-Level/12 Ch RCA  
50W RMS x 4 + 25W RMS x 4  
Sampling Rate : 48KHz /24Bit  
31-Band Parametric or Graphic EQ  
HPF /LPF / Bandpass Crossover per channel  
PC / Smartphone Tuning Application  
Matrix input summing



**MRP-99299**



PXE-0850X Controller  
(Included)

## PXE-0850X

Inputs: 6 Ch Hi-Level/ 6-Ch RCA  
Bluetooth/ Optical / Coaxial  
Outputs: 8 Ch Hi-Level/12 Ch RCA  
25W RMS x 8  
Sampling Rate : 48KHz /24Bit  
31-Band Parametric or Graphic EQ  
HPF /LPF / Bandpass Crossover per channel  
PC / Smartphone Tuning Application  
Matrix input summing



**MRP-67899**



## PXE-R600

Inputs: 6 Ch Hi-Level/ 2-Ch RCA  
Bluetooth  
Outputs: 8 Ch Hi-Level/8 Ch RCA  
25W RMS x 8  
Sampling Rate : 48KHz /24Bit  
31-Band Parametric or Graphic EQ  
HPF /LPF / Bandpass Crossover per channel  
PC / Smartphone Tuning Application  
Matrix input summing



**MRP-57199**



## PXE-R500

Inputs: 4 Ch Hi-Level/ 2-Ch RCA  
Bluetooth  
Outputs: 4 Ch Hi-Level/6 Ch RCA  
25W RMS x 4  
Sampling Rate : 48KHz /24Bit  
31-Band Parametric or Graphic EQ  
HPF /LPF / Bandpass Crossover per channel  
PC / Smartphone Tuning Application  
Matrix input summing



**MRP-46299**



## RUX-C810

Sound Processor Controller  
(Sold seralately)

**MRP-11799**

# Exclusive Sound System For BMW Series



## Exclusive Designed

Special Sound Tuning For Your BMW. Plug And Play Design For Only BMW Car.



## Full System Package



Alpine Uniqueness Technology  
Premium Hybrid Fiber material

# BMW-SERIES



## DP-45C-B

Woofer size :4.5 inch  
Tweeter size : 1 inch  
Frequency Response : 90Hz-20KHz  
Rate Power: 50W RMS  
Peak Power: 100W

**MRP-53999**



## DP-45-B

Woofer size :4.5 inch  
Frequency Response : 90Hz- 20KHz  
Rate Power: 50W RMS  
Peak Power: 100W

**MRP-56999**



## DP-40C-B

Woofer size :4 inch  
Tweeter size: 1 inch  
Frequency Response : 90Hz-20KHz  
Rate Power: 50W RMS  
Peak Power: 100W

**MRP-56999**



## DP-80WF-B

Woofer size :8 inch  
Frequency Response : 35Hz-500Hz  
Rate Power: 100W RMS  
Peak Power: 200W

**MRP-60999**



# S SERIES



## Entry-Level Performance

Meet the new benchmark for entry-level sound quality. The Alpine S-Series system is the perfect marriage of sound quality and performance value. With High-Resolution Playback previously exclusive to higher-tier systems, S-Series will set the tone during the drive.

### POWERHOUSE IN PERFORMANCE

Bring out the full possibilities in music reproduction with a full S-Series amplifier lineup that puts the power back in the performance.

### EXTRA PUNCH

Lightweight yet sturdy, S-Series subwoofers provide extra punch yet maintain a clean reliable sound for non-stop play.

## NEW S2-SERIES

### HI-RES SOUND

Entry level just got elevated. With a frequency response up to 40kHz, S-Series speakers achieve High-Resolution playback for a new standard in sound upgrades.



\*S2-S65C



\*S2-A55V

# NEW ENTRY



Product of  
DSP Sound System

## NEW EL-SERIES

### EL-E65C

Woofer size :6.5 inch  
Tweeter size: 1 inch  
Frequency Response : 65Hz-20KHz  
Rate Power: 45W RMS  
Peak Power: 180W

**MRP-12299**

### EL-E65

Woofer size :6.5 inch  
Frequency Response : 65Hz-20KHz  
Rate Power: 45W RMS  
Peak Power: 180W

**MRP-9399**

### PXE-640E-EL

Inputs: 4 Ch Hi-Level/ Bluetooth  
Outputs: 4 Ch Hi-Level/2 Ch RCA  
25W RMS x 4  
Sampling Rate : 48KHz /24Bit  
15-Band Parametric or Graphic EQ  
HPF /LPF / Bandpass Crossover per channel  
PC / Smartphone Tuning Application  
Matrix input summing

**MRP-26999**

### PWE-7700E-EL

Size : 7 inch  
Frequency Response : 10Hz-150Hz  
Rate Power: 150W RMS  
Peak Power : 300W

**MRP-30999**



# DP-SERIES



# R2-SERIES



# S2-SERIES



# EL-SERIES



# SPJ-SERIES



# SPEAKER DP-SERIES



## DP-653

Woofer size : 6.5 inch  
 Midrange size : 3.7 inch  
 Tweeter size : 2.4 inch  
 Frequency Response : 65Hz-24KHz  
 Rate Power: 50W RMS  
 Peak Power : 240W

**MRP-45199**



## DP-653NW

Crossover Frequency  
 Tweeter : 6KHz-24KHz  
 Midrange : 1.4KHz - 6KHz  
 Woofer : 20Hz- 1.4KHz

**MRP-12699**



## DP-65C

Woofer size : 6.5 inch  
 Tweeter size : 2.4 inch  
 Frequency Response : 65Hz-24KHz  
 Rate Power: 50W RMS  
 Peak Power: 240W

**MRP-39499**



## DP-35M

Midrange size : 3 inch  
 Frequency Response : 100Hz-6.5KHz  
 Rate Power: 50W RMS  
 Peak Power: 240W

**MRP-15499**

# SPEAKER R2-SERIES



## R2-S653 Hi-Res Audio

Woofer size : 6.5 inch  
 Midrange size : 3 inch  
 Tweeter size : 1 inch  
 Frequency Response : 65Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-53499**



## R2-S652 Hi-Res Audio

Woofer size : 6.5 inch  
 Tweeter size : 1 inch  
 Frequency Response : 65Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-35299**



## R2-S65C Hi-Res Audio

Woofer size : 6.5 inch  
 Tweeter size : 1 inch  
 Frequency Response : 65Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-30899**



## R2-S65 Hi-Res Audio

Woofer size : 6.5 inch  
 Frequency Response : 65Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**MRP-23599**



## R2-S69 Hi-Res Audio

Woofer size : 6x9 inch  
 Frequency Response : 60Hz-40KHz  
 Rate Power: 100W RMS  
 Peak Power: 300W

**Coming Soon**



# SPEAKER S2-SERIES



**S2-S65C**

**MRP-16499**

Woofer size : 6.5 inch  
Tweeter size : 1 inch  
Frequency Response : 70Hz-40KHz  
Rate Power: 80W RMS  
Peak Power: 240W



**S2-S65**

**MRP-12499**

Woofer size : 6.5 inch  
Frequency Response : 70Hz-40KHz  
Rate Power: 80W RMS  
Peak Power: 240W



**S2-S69**

**MRP-17999**

Woofer size : 6X9 inch  
Frequency Response : 65Hz-40KHz  
Rate Power: 85W RMS  
Peak Power: 260W



**S2-S50**

**Coming Soon**

Woofer size : 5 inch  
Frequency Response : 80Hz-40KHz  
Rate Power: 55W RMS  
Peak Power: 170W

# SPEAKER SPJ-SERIES



**SPJ-161CS**

Woofer size : 6 inch  
Tweeter size : 1 inch  
Frequency Response : 30Hz-30KHz  
Rate Power: 50W RMS  
Peak Power: 250W

**MRP-6199**



**SPJ-161C2**

Woofer size : 6 inch  
Frequency Response : 30Hz-30KHz  
Rate Power: 50W RMS  
Peak Power: 250W

**MRP-3999**



**SPJ-691C3**

Woofer size : 6x9 inch  
Frequency Response : 30Hz-30KHz  
Rate Power: 60W RMS  
Peak Power: 400W

**MRP-6399**



**SWJ-12S4**

Woofer size : 12 inch  
Frequency Response : 28Hz-200KHz  
Rate Power: 300W RMS  
Peak Power: 1500W

**MRP-8199**

# AMPLIFIER



## R2-A150M

Mono Power Class D amplifier  
 Frequency Response : 10Hz-400Hz  
 Rate Power: 700W RMS x1 @ 4Ω  
 1500W RMS x1 @ 1Ω

**Coming Soon**



## R2-A75M

Mono Power Class D amplifier  
 Frequency Response : 10Hz-400Hz  
 Rate Power: 500W RMS x1 @ 4Ω  
 750W RMS x1 @ 2Ω

**MRP-53499**

## R2-A60F



4-Channel Class D amplifier  
 Frequency Response : 10Hz-45KHz  
 Rate Power: 100W RMS x 4 @ 4Ω  
 Bridged : 300W RMS x 2 @ 4Ω

**MRP-53499**



**MRP-52999**



**MRP-33999**



**MRP-33999**

## S2-A120M

Mono Power Class D amplifier  
 Frequency Response : 10Hz-400Hz  
 Rate Power: 600W RMS x1 @ 4Ω  
 1200W RMS x1 @ 2Ω

## S2-A60M

Mono Power Class D amplifier  
 Frequency Response : 10Hz-400Hz  
 Rate Power: 330W RMS x1 @ 4Ω  
 600W RMS x1 @ 2Ω

## S2-A36F



4-Channel Class D amplifier  
 Frequency Response : 10Hz-30KHz  
 Rate Power: 60W RMS x4 @ 4Ω  
 Bridged : 180W RMS x 2



**MRP-45999**



**MRP-15999**



**MRP-11999**

## S2-A55V



5-Channel Class D amplifier  
 Frequency Response : 50Hz-30KHz  
 Rate Power: 40W RMS x4 + 200W RMS x1 @ 4Ω  
 Bridged : 120W RMS x 2

## BBX-F1200

Class AB amplifier  
 Frequency Response : 5Hz-50KHz  
 Rate Power: 50W RMS x4 @ 4Ω  
 Bridged : 130W RMS x 2

## BBX-T600

Class AB amplifier  
 Frequency Response : 5Hz-50KHz  
 Rate Power: 50W RMS x2 @ 4Ω  
 Bridged : 130W RMS x 1



# SUBWOOFER

## DWE-S800 PWE-S800

### Active Subwoofer Box

Stronger sound and powerful bass with 240W high power output and driving 8-inch dual voice coil woofer. PWE-S800 adopts with an all-aluminum alloy body, stylish appearance, and high quality.

### Wire controller operation.

PWE-S800 comes with a wired controller. It can adjust the sound of the woofer with the many styles of music.



### Easy to install.

Regarding the small size of the body, It's easy to install under the seat or limited space.



## PWE-S800

Size : 8 inch  
Frequency Response : 10Hz-200Hz  
Rate Power : 120W RMS  
Peak Power : 240W

**MRP-31999**



**R** SERIES



**R** SERIES



**R** SERIES

## R2-W12D4/D2

Size : 12 inch  
Frequency Response : 24Hz-200Hz  
Rate Power : 750W RMS  
Peak Power : 2250W

**MRP-37999**

## R2-W10D4/D2

Size : 10 inch  
Frequency Response : 26Hz-200Hz  
Rate Power : 750W RMS  
Peak Power : 2250W

**MRP-36999**

## RS-W10D4/D2

Size : 10 inch  
Frequency Response : 25Hz-100Hz  
Rate Power : 600W RMS  
Peak Power : 1800W

**Coming Soon**



**S** SERIES

## S2-W12D4/D2

Size : 12 inch  
Frequency Response : 23Hz-215Hz  
Rate Power : 600W RMS  
Peak Power : 1800W

**Coming Soon**



**S** SERIES

## S2-W10D4/D2

Size : 10 inch  
Frequency Response : 25Hz-215Hz  
Rate Power : 600W RMS  
Peak Power : 1800W

**Coming Soon**



Alps Alpine Asia Co., Ltd (Head Office)  
The 9th Towers, Tower B, Unit TNB01-03, 24th Floor  
33/4 Rama9 Road, Huay Kwang,  
Huay Kwang,Bangkok 10310  
Tel. 02-090-9596

